Skalcem 1000



Revision Date: 22.11.2023 Date of last issue: - Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Skalcem 1000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Surfaces protection

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Danmark A/S Hirsemarken 5
		3520 Farum
Telephone	:	+45 48 18 85 85
E-mail address of person	:	EHS@dk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 Serious eye damage, Category 1 Skin sensitisation, Category 1 Specific target organ toxicity - single exposure, Category 3, Respiratory system H315: Causes skin irritation.H318: Causes serious eye damage.H317: May cause an allergic skin reaction.H335: May cause respiratory irritation.

2.2 Label elements

Labelling (REGULATION (E	C) No 1272/2008	3)
Hazard pictograms		
Signal word	: Danger	•
Hazard statements	: H315 H317 H318 H335	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
Precautionary statements	P101 P102	If medical advice is needed, have product container or label at hand. Keep out of reach of children.



Revision Date: 22.11.2023 Date of last issue: - Version 1.0

Prevention:	
P271	Use only outdoors or in a well-ventilated ar- ea.
P280	Wear protective gloves/ eye protection/ face protection.
Response:	
P305 + P351 ·	+ P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

Additional Labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40
	266-043-4	Eye Dam. 1; H318	
		Skin Sens. 1; H317	
		STOT SE 3; H335	



Revision Date: 22.11.2023 Date of last issue: -

Version 1.0

Substances with a workplace exposure limit :					
Titanium dioxide (> 10 μm)	13463-67-7 236-675-5 01-2119489379-17- XXXX	>= 2,5 - < 5			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	Caro	•
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms	and e	effects, both acute and delayed
Symptoms	:	Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects sensitising effects
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
Country DK 10000043702		3 /



Revision Date: 22.11.2023 Date of last issue: -		Version 1.0	Print Date 29.01.20
		May cause respiratory irritation.	
4.3 Indication of any immediate n	ne	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	ur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet ide/sand/foam/alcohol resistant foam/chemica extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	1
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breath	ing apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental release	еı	neasures	

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
---------------------------	---	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

Skalcem 1000

Print Date 29.01.2024

Revision Date: 22.11.2023	Version 1.0
Date of last issue: -	

			 section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage,	inc	luding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
	40,400,07,7	1 /		DI COTI	
Titanium dioxide (> 10 μm)	13463-67-7	GV	6 mg/m3	DK OEL	
			(Titanium)		
	Further information: Means that the substance is included in the				
	list of substances considered carcinogenic.				
		S	12 mg/m3	DK OEL	
			(Titanium)		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Total dust		GV	3 mg/m3	DK OEL
Dust		GV	0,5 mg/m3	DK OEL
Respirable dust		GV	5 mg/m3	DK OEL
Dust		GV	10 mg/m3	DK OEL

Skalcem 1000

Revision Date: 22.11.2023 Date of last issue: -



8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment	:				
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water				
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.				
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.				
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.				
Environmental exposure controls					

Version 1.0

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	:	solid powder white odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available

General advice

Skalcem 1000



Revision Date: 22.11.2023 Date of last issue: -

Version 1.0

Flammability (solid, gas)	:	No data available			
Upper/lower flammability or explosive limits					
Upper explosion limit / Up- per flammability limit	:	No data available			
Lower explosion limit / Lower flammability limit	:	No data available			
Flash point	:	Not applicable			
Auto-ignition temperature	:	No data available			
Decomposition temperature	:	No data available			
рН	:	substance/mixture is non-soluble (in water)			
Viscosity Viscosity, kinematic	:	No data available			
Solubility(ies)					
Water solubility	:	No data available			
Partition coefficient: n- octanol/water	:	No data available			
Vapour pressure	:	No data available			
Density	:	0,9 g/cm3			
Relative vapour density	:	No data available			
Particle characteristics	:	No data available			

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Skalcem 1000



Revision Date: 22.11.2023 Date of last issue: -	Version 1.0	Print Date 29.01.202
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition p No decomposition if stored an		
SECTION 11: Toxicological in	formation	
11.1 Information on hazard class	es as defined in Regulation (EC) No 1272/2008	
Acute toxicity Not classified based on availa	ble information.	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye irri Causes serious eye damage.	tation	
Respiratory or skin sensitis	ation	
Skin sensitisation May cause an allergic skin rea	action.	
Respiratory sensitisation Not classified based on availa	ble information.	
Germ cell mutagenicity Not classified based on availa	ble information.	
Carcinogenicity Not classified based on availa	ble information.	
Reproductive toxicity Not classified based on availa	ble information.	
STOT - single exposure May cause respiratory irritatio	n.	
STOT - repeated exposure Not classified based on availa	ble information.	
Aspiration toxicity Not classified based on availa	ble information.	
11.2 Information on other hazard	s	
Endocrine disrupting prope	rties	
<u>Product:</u> Assessment	: The substance/mixture does not contain compo	nents consid-

Skalcem 1000



Revision Date: 22.11.2023 Date of last issue: -

Version 1.0

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.

Skalcem 1000



Revision Date: 22.11.2023 Date of last issue: -	Version 1.0	Print Date 29.01.2
	Dispose of surplus and non-recyclable waste disposal contractor. Disposal of this product, solutions and at all times comply with the requirement protection and waste disposal legislat local authority requirements. Avoid dispersal of spilled material and soil, waterways, drains and sewers.	any by-products should onts of environmental ion and any regional
European Waste Catalogue	: 17 01 01 concrete	

SECTION 14: Transport information

14.1 UN number or ID number			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a dangerous good			
14.6 Special precautions for use Not applicable	er		

14.7 Maritime transport in bulk according to IMO instruments Not applicable for product as supplied.

Skalcem 1000

Print Date 29.01.2024

Revision Date: 22.11.2023 Date of last issue: - Version 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII	:	Not applicable		
REACH - Candidate List of Substa Concern for Authorisation (Article	:	None of the components are listed (=> 0.1 %).		
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	:	Not applicable		
Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		ent	and of the Council on the control of ma-	
Volatile organic compounds :	: Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties			
Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable				
MAL-Code-Number :	00-5 (1993)			
GISCODE : ZP1				

Skalcem 1000

Revision Date: 22.11.2023

Jika ®
Print Date 29.01.2024

Date of last issue: -		
Product registration number	: 4518166	
Waste Group	: X	
Reference	 Arbejdstilsynets bekendtgørelse nr. 301 af fastsættelse af kodenumre. Bekendtgørelse nr. 21 af 16. januar 1996 a stoffer og produkter. Arbejdstilsynets bekendtgørelse nr. 1793 a arbejde med stoffer og materialer (kemiske Bekendtgørelse nr. 1794 af 18/12/2015 om fremstillere, leverandører og importører mv terialer efter lov om arbejdsmiljø. Arbejdstilsynets bekendtgørelse nr. 239 af unges arbejde. Miljøstyrelsens bekendtgørelse nr. 1369 af begrænsning af VOC. AT-Vejledning C.0.1 August 2007: Grænse og materialer. EU forordningen 1907/2006 (REACH). EU forordningen 1272/2008 (CLP). Bekendtgørelse nr. 48 af 13/01/2010 om af EU forordning 453/2010 (Opdatering til CLI) 	f lov om kemiske f 18/12/2015 om agenser). særlige pligter for af stoffer og ma- 6. april 2005 om 25/11/2015 om eværdier for stoffer

Version 1.0

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements				
H315	:	Causes skin irritation.		
H317	:	May cause an allergic skin reaction.		
H318	:	Causes serious eye damage.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	Specific target organ toxicity - single exposure		
DK OEL	:	Denmark. Occupational Exposure Limits		
DK OEL / S	:	Exposure period of 15 minutes		
DK OEL / GV	:	Long term exposure limit		
ADR	:	European Agreement concerning the International Carriage of		

Skalcem 1000

Print Date 29.01.2024

Revision Date: 22.11.2023 Date of last issue: -

CAS DNEL EC50 GHS IATA IMDG LD50		sociation
LC50	edian lethal concentration (c	concentrations of the chemical in nimals during the observation
MARPOL	ternational Convention for th hips, 1973 as modified by th	ne Prevention of Pollution from e Protocol of 1978
OEL	ccupational Exposure Limit	
PBT	ersistent, bioaccumulative a	nd toxic
PNEC	edicted no effect concentrat	
REACH	nd of the Council of 18 Dece ration, Evaluation, Authorisa	6 of the European Parliament mber 2006 concerning the Reg- ation and Restriction of Chemi- European Chemicals Agency
SVHC vPvB	ubstances of Very High Con ery persistent and very bioad	cern

Further information

Classification of the	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN