

Revision Date: 08.11.2023 Date of last issue: -

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Skalflex Gulvspartel Fin

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Danmark A/S
		Hirsemarken 5
		3520 Farum
Telephone	:	+45 48 18 85 85
E-mail address of person	:	EHS@dk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (Hazard pictograms	EC) :	No 1272/2008)	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
		Prevention: P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face

Skalflex Gulvspartel Fin

Print Date 08.11.2023

Revision Date: 08.11.2023 Date of last issue: - Version 1.0

protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Flue dust, portland cement	68475-76-3	Skin Irrit. 2; H315	>= 3 - < 5
	270-659-9	Eye Dam. 1; H318	
	01-2119486767-17-	STOT SE 3; H335	
	XXXX		
Substances with a workplace expos	sure limit :		
Quartz (SiO2)	14808-60-7		>= 60 - < 80
	238-878-4		

For explanation of abbreviations see section 16.

Print Date 08.11.2023

Revision Date: 08.11.2023 Date of last issue: - Version 1.0

SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.		
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.		
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.		
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.		
4.2 Most important symptoms and effects, both acute and delayed				
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.		
Risks	:	irritant effects		
		Causes skin irritation. Causes serious eye damage.		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment	:	Treat symptomatically.		

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for



Revision Date: 08.11.2023 Date of last issue: - Version 1.0

	- 1 ¹
extin	ction.
•	••••

5.2 \$	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information	:	Standard procedure for chemical fires.
SEC	CTION 6: Accidental release	e n	neasures
6.1 I	Personal precautions, protect	tive	e equipment and emergency procedures
	Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
6.2 I	Environmental precautions		
	Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
6.3 I	Methods and material for con	taiı	•
	Methods for cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.
6.4 I	Reference to other sections		
	For personal protection see se	ctic	on 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.



Revision Date: 08.11.2023 Date of last issue: -		Version 1.0	Print Date 08.11.202
Hygiene measures	:	Handle in accordance with good industrial h practice. When using do not eat or drink. Wh smoke. Wash hands before breaks and at th	hen using do not
7.2 Conditions for safe storage,	inc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and w place. Store in accordance with local regula	
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as c	lirected.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Shouse.	eet prior to any
		use.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	GV (Respirable dust)	0,1 mg/m3 (Silica)	DK OEL	
		ation: Means that th ces considered carc			
		GV (total)	0,3 mg/m3 (Silica)	DK OEL	
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL	
	Further information: Means that the substance is included in the				
	list of substand	ces considered card	inogenic.		
		S (total powder and dust)	0,6 mg/m3 (Silica)	DK OEL	
		S (inhalable frac- tion)	0,2 mg/m3 (Silica)	DK OEL	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Total dust		GV	3 mg/m3	DK OEL
Dust		GV	0,5 mg/m3	DK OEL
Respirable dust		GV	5 mg/m3	DK OEL
Dust		GV	10 mg/m3	DK OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Revision Date: 08.11.2023 Date of last issue: -

to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

: Try to prevent the material from entering drains or water

No special environmental precautions required.



Ensure adequate ventilation, especially in confined areas.			
Personal protective equipment	:		
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water		
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.		
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.		
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.		
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local		
	exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent		

9.1 Information on basic physical and chemical properties

SECTION 9: Physical and chemical properties

courses.

Environmental exposure controls

General advice

Physical state Appearance Colour Odour	:	solid powder grey odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Skalflex Gulvspartel Fin



Revision Date: 08.11.2023 Date of last issue: -		Version 1.0	Prin
Upper explosion limit / Up- per flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	substance/mixture is non-soluble (in water)	
Viscosity Viscosity, kinematic	:	No data available	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Skalflex Gulvspartel Fin

Print Date 08.11.2023

Revision Date: 08.11.2023 Date of last issue: - Version 1.0

Materials to avoid

: No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Skalflex Gulvspartel Fin

Print Date 08.11.2023

Revision Date: 08.11.2023 Date of last issue: - Version 1.0

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental



Revision Date: 08.11.2023 Date of last issue: -	Version 1.0	Print Date 08.11.20		
	protection and waste disposal legislatic local authority requirements. Avoid dispersal of spilled material and soil, waterways, drains and sewers.			
European Waste Catalogue	: 17 01 01 concrete			

SECTION 14: Transport information

14.1 UN number or ID number					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADR	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards Not regulated as a dangerous good					
14.6 Special precautions for user					

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 International Chemical Weapons Convention (CWC)
 :
 Not applicable

Schedules of Toxic Chemicals and Precursors

Skalflex Gulvspartel Fin

Print Date 08.11.2023

Revision Date: 08.11.2023 Date of last issue: -

Version 1.0

	REACH Information:		All substances containe - registered by our upstr - registered by us, and/o - excluded from the reg - exempted from the reg	rea or ulat	m suppliers, and/or tion, and/or	
	REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	lan	gerous substances,	:	Not applicable	
	REACH - Candidate List of Sub Concern for Authorisation (Artic			:	None of the components are listed $(=> 0.1 \%)$.	
	REACH - List of substances su (Annex XIV)	ıbje	ect to authorisation	:	Not applicable	
	Regulation (EC) No 1005/2009 plete the ozone layer	or	substances that de-	:	Not applicable	
	Regulation (EU) 2019/1021 on tants (recast)	pe	rsistent organic pollu-	:	Not applicable	
	Regulation (EC) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals					
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of n jor-accident hazards involving dangerous substances. Not applicable					and of the Council on the control of ma-	
	Volatile organic compounds	:	Law on the incentive tax (VOCV) no VOC duties	x fo	or volatile organic compounds	
					November 2010 on industrial tion prevention and control)	
	MAL-Code-Number	:	00-4 (1993)			
	Product registration number	:	4166500			
	GISCODE	:	ZP1			
	Waste Group	:	х			
	Reference	:	Arbejdstilsynets bekend	ltgø	ørelse nr. 301 af 13. maj 1993 om	
Σοι	untry DK 100000051301				11 / 13	

Skalflex Gulvspartel Fin

Revision Date: 08.11.2023 Date of last issue: -



Version 1.0

fastsættelse af kodenumre.

Bekendtgørelse nr. 21 af 16. januar 1996 af lov om kemiske stoffer og produkter. Arbejdstilsynets bekendtgørelse nr. 1793 af 18/12/2015 om arbeide med stoffer og materialer (kemiske agenser). Bekendtgørelse nr. 1794 af 18/12/2015 om særlige pligter for fremstillere, leverandører og importører mv. af stoffer og materialer efter lov om arbejdsmiljø. Arbejdstilsynets bekendtgørelse nr. 239 af 6. april 2005 om unges arbejde. Miljøstyrelsens bekendtgørelse nr. 1369 af 25/11/2015 om begrænsning af VOC. AT-Veiledning C.0.1 August 2007: Grænseværdier for stoffer og materialer. EU forordningen 1907/2006 (REACH). EU forordningen 1272/2008 (CLP). Bekendtgørelse nr. 48 af 13/01/2010 om affald. EU forordning 453/2010 (Opdatering til CLP).

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H315 H318 H335	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.
Full text of other abbreviatior	าร	
Eye Dam. Skin Irrit.	:	Serious eye damage Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DK OEL	:	Denmark. Occupational Exposure Limits
DK OEL / S	:	Exposure period of 15 minutes
DK OEL / GV	:	Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods



Revision Date: 08.11.2023 Date of last issue: -	Version 1.0	Print Date 08.11.20
LD50	: Median lethal dosis (the amount of a once, which causes the death of 50% test animals)	
LC50	 Median lethal concentration (concent air that kills 50% of the test animals of period) 	
MARPOL	: International Convention for the Prev Ships, 1973 as modified by the Proto	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	 Regulation (EC) No 1907/2006 of the and of the Council of 18 December 2 istration, Evaluation, Authorisation an cals (REACH), establishing a Europe 	006 concerning the Reg- nd Restriction of Chemi-
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumula	ative

Further information

Classification of the mixtur	Classification procedure:	
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN