

Revision Date: 23.11.2023 Date of last issue: -

Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Skalflex Støbebeton

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Cement / Mortar

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Danmark A/S Hirsemarken 5
		3520 Farum
Telephone	:	+45 48 18 85 85
E-mail address of person	:	EHS@dk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATIC Serious eye damage, Catego		-	2 /2008) H318: Causes serious eye damage.
2.2 Label elements	-		
Labelling (REGULATION (E Hazard pictograms	EC)	No 1272/200)8)
Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
		Prevention	:
		P280	Wear eye protection/ face protection.
		Response: P305 + P35	51 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con-
Country DK 100000050867			1 / 1:

Print Date 23.04.2024

Revision Date: 23.11.2023 Date of last issue: - Version 1.0

tact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Registration number				
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 3 - < 5		
	266-043-4	Eye Dam. 1; H318			
		STOT SE 3; H335			
		(Respiratory system)			
Flue dust, portland cement	68475-76-3	Skin Irrit. 2; H315	>= 1 - < 2,5		
	270-659-9	Eye Dam. 1; H318			
	01-2119486767-17-	STOT SE 3; H335			
	XXXX				
Substances with a workplace exposure limit :					
Quartz (SiO2)	14808-60-7		>= 60 - < 80		
· ·	238-878-4				

For explanation of abbreviations see section 16.

Revision Date: 23.11.2023 Date of last issue: - Version 1.0



SECTION 4: First aid measures

4.1 Description of first aid measures				
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.			
If inhaled :	Move to fresh air. Consult a physician after significant exposure.			
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.			
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.			
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.			
4.2 Most important symptoms and	effects, both acute and delayed			
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.			
Risks :	irritant effects			
	Causes serious eye damage.			
-	dical attention and special treatment needed			
Treatment :	Treat symptomatically.			

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

		JING
Revision Date: 23.11.2023 Date of last issue: -	Version 1.0	Print Date 23.04.202
ucts		
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-contained	breathing apparatus.
Further information	: Standard procedure for chemical fires.	
SECTION 6: Accidental release	e measures	
6.1 Personal precautions, protection	tive equipment and emergency procedui	res
6.1 Personal precautions, protect Personal precautions	 tive equipment and emergency procedure Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. 	res
• •	: Use personal protective equipment. Avoid breathing dust.	res
Personal precautions	: Use personal protective equipment. Avoid breathing dust.	ng drains or water
Personal precautions 6.2 Environmental precautions	 Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from enterin courses. No special environmental precautions r 	ng drains or water
Personal precautions 6.2 Environmental precautions Environmental precautions	 Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from enterin courses. No special environmental precautions r 	ng drains or water required. reating dust.
Personal precautions 6.2 Environmental precautions Environmental precautions 6.3 Methods and material for co	 Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons. Try to prevent the material from enterin courses. No special environmental precautions r tainment and cleaning up Pick up and arrange disposal without c 	ng drains or water required. reating dust.

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Revision Date: 23.11.2023 Version 1.0 Date of last issue: -

7.2 Conditions for safe storage, including any incompatibilities

	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Quartz (SiO2)	14808-60-7	GV (Respirable dust)	0,1 mg/m3 (Silica)	DK OEL		
		nation: Means that the ces considered care				
		GV (total)	0,3 mg/m3 (Silica)	DK OEL		
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL		
	Further inform	Further information: Means that the substance is included in the				
	list of substan	ces considered card	cinogenic.			
		S (total powder and dust)	0,6 mg/m3 (Silica)	DK OEL		
· T he share man (in share)		S (inhalable frac- tion)	0,2 mg/m3 (Silica)	DK OEL		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Total dust		GV	3 mg/m3	DK OEL
Dust		GV	0,5 mg/m3	DK OEL
Respirable dust		GV	5 mg/m3	DK OEL
Dust		GV	10 mg/m3	DK OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Skalflex Støbebeton



Revision Date: 23.11.2023 Date of last issue: -	Version 1.0	Print Date 23.04.
Hand protection	Eye wash bottle with pure water Chemical-resistant, impervious gloves comp proved standard must be worn at all times w chemical products. Reference number EN 37 facturer specifications.	hen handling
	Recommended: Butyl rubber/nitrile rubber gl Contaminated gloves should be removed.	oves.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to long-sleeved working clothing, long trousers) and protective boots are additionaly recomm and stirring work.). Rubber aprons
Respiratory protection :	In case of inadequate ventilation wear respire Respirator selection must be based on know exposure levels, the hazards of the product a ing limits of the selected respirator. particulate filter P	n or anticipated
	P1: Inert material; P2, P3: hazardous substa Ensure adequate ventilation. This can be acl exhaust extraction or by general ventilation. ods for determining inhalation exposure). The ticular to the mixing / stirring area. In case the to keep the concentrations under the occupal limits then respiration protection measures m	hieved by local (EN 689 - Meth- is applies in par- is is not sufficent itional exposure
Environmental exposure contr	ols	
General advice	Try to prevent the material from entering dra courses. No special environmental precautions require	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance	:	solid powder					
Colour	:	grey					
Odour	:	odourless					
Melting point/range / Freezing point	:	No data available					
Boiling point/boiling range	:	No data available					
Flammability (solid, gas)	:	No data available					
Upper/lower flammability or explosive limits							
Upper explosion limit / Up- per flammability limit	:	No data available					

Skalflex Støbebeton



Revision Date: 23.11.2023	
Date of last issue: -	

Version 1.0

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	substance/mixture is non-soluble (in water)
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	No hazards to be specially mentioned.		
10.4 Conditions to avoid				
Conditions to avoid	:	No data available		
10.5 Incompatible materials				
Materials to avoid	:	No data available		

Skalflex Støbebeton

Revision Date: 23.11.2023 Date of last issue: - Version 1.0



10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Print Date 23.04.2024

Revision Date: 23.11.2023 Date of last issue: - Version 1.0

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment
, 1000001110111

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

:	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Skalflex Støbebeton



Revision Date: 23.11.2023	Version 1.0
Date of last issue: -	

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

European Waste Catalogue : 17 01 01 concrete

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors



ision Date: 23.11.2023 e of last issue: -		Version	1.0		Print Date 23.04.20
REACH Information:		All substances contair - registered by our up - registered by us, and - excluded from the re - exempted from the r	strea d/or egula	am suppliers, and/or	r
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex 2)	dar	gerous substances,	:	Not applicable	
REACH - Candidate List of Se Concern for Authorisation (Ar			:	None of the comp (=> 0.1 %).	onents are listed
REACH - List of substances s (Annex XIV)	subje	ect to authorisation	:	Not applicable	
Regulation (EC) No 1005/200 plete the ozone layer)9 oı	n substances that de-	:	Not applicable	
Regulation (EU) 2019/1021 o tants (recast)	n pe	rsistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 ment and the Council concerr of dangerous chemicals			:	Not applicable	
Seveso III: Directive 2012/18/ jor-accident hazards involving			ment	t and of the Council	on the control of ma-
Volatile organic compounds	:	Law on the incentive t (VOCV) no VOC duties	ax fo	or volatile organic co	ompounds
		Directive 2010/75/EU emissions (integrated Not applicable			
MAL-Code-Number	:	00-4 (1993)			
Product registration number	:	4166359			
GISCODE	:	ZP1			
Waste Group	:	Х			
Reference	:	Arbejdstilsynets beker fastsættelse af koden Bekendtgørelse nr. 21	umre	Э.	

Skalflex Støbebeton

Revision Date: 23.11.2023 Date of last issue: -



Version 1.0

stoffer og produkter.

Arbejdstilsynets bekendtgørelse nr. 1793 af 18/12/2015 om arbejde med stoffer og materialer (kemiske agenser).
Bekendtgørelse nr. 1794 af 18/12/2015 om særlige pligter for fremstillere, leverandører og importører mv. af stoffer og materialer efter lov om arbejdsmiljø.
Arbejdstilsynets bekendtgørelse nr. 239 af 6. april 2005 om unges arbejde.
Miljøstyrelsens bekendtgørelse nr. 1369 af 25/11/2015 om begrænsning af VOC.
AT-Vejledning C.0.1 August 2007: Grænseværdier for stoffer og materialer.
EU forordningen 1907/2006 (REACH).
EU forordningen 1272/2008 (CLP).
Bekendtgørelse nr. 48 af 13/01/2010 om affald.
EU forordning 453/2010 (Opdatering til CLP).

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DK OEL	:	Denmark. Occupational Exposure Limits
DK OEL / S	:	Exposure period of 15 minutes
DK OEL / GV	:	Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of

Skalflex Støbebeton

Revision Date: 23.11.2023 Date of last issue: -		Version 1.0	Print Date 23.04.2024
		test animals)	
LC50	:	Median lethal concentration (concentration air that kills 50% of the test animals durin period)	
MARPOL	:	International Convention for the Preventi Ships, 1973 as modified by the Protocol	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Eu and of the Council of 18 December 2006 istration, Evaluation, Authorisation and R cals (REACH), establishing a European (concerning the Reg- estriction of Chemi-
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	9
Further information			
Classification of the mix	ture:	Classification	procedure:

Olassification of the		olassification procedure.
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN

